



Sequence Listing

<110> Zhang, Jingwu Z.
Ho, Walter Kowk Keung
Zhang, Dongqing
Sun, Wei

<120> T Cell Receptor CDR3 Sequence and Methods for Detecting
and Treating Rheumatoid Arthritis

<130> 057186.000003

<140> US 10/612,468

<141> 2003-07-02

<160> 168

<210> 1

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> part of the complementary determining region-3 (CDR3) in
the V β 14 family (BV14 gene) of T cell receptors (TCR)
in patients with rheumatoid arthritis (RA)

<400> 1

agccaagctg acgggaccca t

21

<210> 2

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> part of the complementary determining region-3 (CDR3) in
the V β 16 family (BV16 gene) of TCR in patients with RA

<400> 2

agttccgggg gcagtctgtt c

21

<210> 3

<211> 7

<212> PRT

<213> *Homo sapiens*

<220>

<221> Peptide

<223> conserved amino acid sequence derived
from CDR3 of
TCR beta-chain BV14 in patients with RA

<400> 3

Ser Gln Ala Asp Gly Thr His
5

<210> 4

<211> 7

<212> PRT

<213> *Homo sapiens*

<220>

<221> Peptide

<223> conserved amino acid sequence derived
from CDR3 of
TCR beta-chain BV16 in patients with RA

<400> 4

Ser Ser Gly Gly Ser Leu Phe
5

<210> 5

<211> 4

<212> PRT

<213> *Homo sapiens*

<220>

<221> Peptide

<223> amino acid sequence motif derived
from CDR3 of
TCR beta-chain BV16 in patients with RA

<400> 5

Ser Trp Gly Gly

<210> 6

<211> 113

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> amino acid sequence of human β chain variable region
V β 14 of T cell receptors

<400> 6

Met	Gly	Pro	Gln	Leu	Leu	Gly	Tyr	Val	Val	Leu	Cys	Leu	Leu	Gly
				5					10					15
Ala	Gly	Pro	Leu	Glu	Ala	Gln	Val	Thr	Gln	Asn	Pro	Arg	Tyr	Leu
				20					25					30
Ile	Thr	Val	Thr	Gly	Lys	Lys	Leu	Thr	Val	Thr	Cys	Ser	Gln	Asn
				35					40					45
Met	Asn	His	Glu	Tyr	Met	Ser	Trp	Tyr	Arg	Gln	Asp	Pro	Gly	Leu
				50					55					60
Gly	Leu	Arg	Gln	Ile	Tyr	Tyr	Ser	Met	Asn	Val	Glu	Val	Thr	Asp
				65					70					75
Lys	Gly	Asp	Val	Pro	Glu	Gly	Tyr	Lys	Val	Ser	Arg	Lys	Glu	Lys
				80					85					90
Arg	Asn	Phe	Pro	Leu	Ile	Leu	Glu	Ser	Pro	Ser	Pro	Asn	Gln	Thr
				95					100					105
Ser	Leu	Tyr	Phe	Cys	Ala	Ser	Ser							
				110										

<210> 7
 <211> 96
 <212> PRT
 <213> *Homo sapiens*

<220>
 <221> Domain
 <223> amino acid sequence of human β chain variable region
 V β 16 of T cell receptors

<400> 7

Ile	Glu	Ala	Gly	Val	Thr	Gln	Phe	Pro	Ser	His	Ser	Val	Ile	Glu
				5					10					15
Lys	Gly	Gln	Thr	Val	Thr	Leu	Arg	Cys	Asp	Pro	Ile	Ser	Gly	His
				20					25					30
Asp	Asn	Leu	Tyr	Trp	Tyr	Arg	Arg	Val	Met	Gly	Lys	Glu	Ile	Lys
				35					40					45
Phe	Leu	Leu	His	Phe	Val	Lys	Glu	Ser	Lys	Gln	Asp	Glu	Ser	Gly
				50					55					60
Met	Pro	Asn	Asn	Arg	Phe	Leu	Ala	Glu	Arg	Thr	Gly	Gly	Thr	Tyr
				65					70					75
Ser	Thr	Leu	Lys	Val	Gln	Pro	Ala	Glu	Leu	Glu	Asp	Ser	Gly	Val
				80					85					90
Tyr	Phe	Cys	Ala	Ser	Ser									
				95										

<210> 8
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>

<221> primer_bind
 <223> forward primer specific for TCR BV1 used in real-time PCR analysis

 <400> 8

 aagcacctga tcacagcaac t 21

 <210> 9
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV1 used in real-time PCR analysis

 <400> 9

 tagttcagag tgcaagtcag g 21

 <210> 10
 <211> 23
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV2 used in real-time PCR analysis

 <400> 10

 ggttatctgt aagagtggaa cct 23

 <210> 11
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV2 used in real-time PCR analysis

 <400> 11

 aggatgggca ctggtcactg t 21

 <210> 12
 <211> 24
 <212> DNA

<213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV3 used in real-time PCR analysis
 <400> 12
 tcgagatatc tagtcaaaag gacg 24
 <210> 13
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV3 used in real-time PCR analysis
 <400> 13
 ggtgctggcg gactccagaa t 21
 <210> 14
 <211> 22
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV4 used in real-time PCR analysis
 <400> 14
 aagcagggat atctgtcaac gt 22
 <210> 15
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV4 used in real-time PCR analysis
 <400> 15
 ttcagggctc atgttgctca c 21

<210> 16
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV5 used in real-time PCR analysis

 <400> 16
 gatcaaaacg agaggacagc a 21

 <210> 17
 <211> 22
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV5 used in real-time PCR analysis

 <400> 17
 agcaccaagg cgctcacatt ca 22

 <210> 18
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV6 used in real-time PCR analysis

 <400> 18
 ctcaggtgtg atccaatttc a 21

 <210> 19
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV6 used in real-time PCR analysis

 <400> 19

cccccgctct gtgcgctgga t 21
 <210> 20
 <211> 25
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV7 used in real-time
 PCR analysis
 <400> 20
 catgggaatg acaaataaga agtct 25
 <210> 21
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV7 used in real-time
 PCR analysis
 <400> 21
 tggctgcagg gcgtgtaggt g 21
 <210> 22
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV8 used in real-time
 PCR analysis
 <400> 22
 ccccgccatg aggtgacaga g 21
 <210> 23
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV8 used in real-time
 PCR analysis

<400> 23
 gagtccttg gttctgaggg c 21
 <210> 24
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV9 used in real-time PCR analysis
 <400> 24
 ccaaaataacc tggtcacaca g 21
 <210> 25
 <211> 22
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV9 used in real-time PCR analysis
 <400> 25
 ccagggaatt gatgtgaaga tt 22
 <210> 26
 <211> 22
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV10 used in real-time PCR analysis
 <400> 26
 acctagactt ctggtcaaag ca 22
 <210> 27
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind

<223> reverse primer specific for TCR BV10 used in real-time
PCR analysis

<400> 27

ggactggatc tccaaggtac a 21

<210> 28

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<221> primer_bind

<223> forward primer specific for TCR BV11 used in real-time
PCR analysis

<400> 28

ttatagggac aggaaagaag atc 23

<210> 29

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<221> primer_bind

<223> reverse primer specific for TCR BV11 used in real-time
PCR analysis

<400> 29

atgtgagggc ctggcagact c 21

<210> 30

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<221> primer_bind

<223> forward primer specific for TCR BV12 used in real-time
PCR analysis

<400> 30

caagacacaa gatcacagag aca 23

<210> 31

<211> 21

<212> DNA

<213> Artificial Sequence

<220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV12 used in real-time PCR analysis

 <400> 31

 ggcagcagac tccagagtga g 21

 <210> 32
 <211> 23
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV13 used in real-time PCR analysis

 <400> 32

 tgaagacagg acagagcatg aca 23

 <210> 33
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV13 used in real-time PCR analysis

 <400> 33

 cacagatgtc tgggagggag c 21

 <210> 34
 <211> 23
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV14 used in real-time PCR analysis

 <400> 34

 acccaagata cctcatcaca gtg 23

 <210> 35
 <211> 21

<212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV14 used in real-time PCR analysis

 <400> 35
 agaggtctgg ttggggctgg g 21

 <210> 36
 <211> 23
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV15 used in real-time PCR analysis

 <400> 36
 tcacaaagac aggaaagagg att 23

 <210> 37
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV15 used in real-time PCR analysis

 <400> 37
 ggggatggca gactctaggg a 21

 <210> 38
 <211> 22
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV16 used in real-time PCR analysis

 <400> 38
 gttccccagc cacagcgtaa ta 22

<210> 39
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV16 used in real-time PCR analysis

 <400> 39
 cagttctgca ggctgcacct t 21

 <210> 40
 <211> 22
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV17 used in real-time PCR analysis

 <400> 40
 gtccccaag tacctgttca ga 22

 <210> 41
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV17 used in real-time PCR analysis

 <400> 41
 agctgtcggg ttcttttggg c 21

 <210> 42
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV18 used in real-time PCR analysis

 <400> 42

agacacctgg tcaggaggag g 21

<210> 43
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV18 used in real-time PCR analysis

<400> 43

tgccgaatct cctcgacta c 21

<210> 44
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> primer_bind
 <223> forward primer specific for TCR BV19 used in real-time PCR analysis

<400> 44

ccaggacatt tgggtcaaagg aaaa 24

<210> 45
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV19 used in real-time PCR analysis

<400> 45

cagtgcggtg tctcccgggtt c 21

<210> 46
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> primer_bind
 <223> forward primer specific for TCR BV20 used in real-time PCR analysis

<400> 46
 gaccctggtg cagcctgtg 19
 <210> 47
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV20 used in real-time PCR analysis
 <400> 47
 gaggaggagc ttcttagaac t 21
 <210> 48
 <211> 24
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV21 used in real-time PCR analysis
 <400> 48
 cccagatata agattacaga gaaa 24
 <210> 49
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV21 used in real-time PCR analysis
 <400> 49
 ctggatcttg agagtggagt c 21
 <210> 50
 <211> 23
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV22 used in real-time

PCR analysis

<400> 50

cacagatggg acaggaagtg atc 23

<210> 51

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<221> primer_bind

<223> reverse primer specific for TCR BV22 used in real-time
PCR analysis

<400> 51

gtcctccagc tttgtggacc g 21

<210> 52

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<221> primer_bind

<223> forward primer specific for TCR BV23 used in real-time
PCR analysis

<400> 52

aagagggaaa cagccactct g 21

<210> 53

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<221> primer_bind

<223> reverse primer specific for TCR BV23 used in real-time
PCR analysis

<400> 53

cagctccaag gagctcatgt t 21

<210> 54

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<221> primer_bind
 <223> forward primer specific for TCR BV24 used in real-time PCR analysis

 <400> 54
 ccaagataacc aggttaccca gttt 24

 <210> 55
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV24 used in real-time PCR analysis

 <400> 55
 caggcctggt gagcggatgt c 21

 <210> 56
 <211> 22
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV25 used in real-time PCR analysis

 <400> 56
 aaaacatctt gtcagagggg aa 22

 <210> 57
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV25 used in real-time PCR analysis

 <400> 57
 tgaatcctca agcttcgtag c 21

 <210> 58
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> primer_bind
 <223> forward primer specific for TCR BC used in real-time PCR analysis

 <400> 58
 cagcgccctt gtgttgatg 19

 <210> 59
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BC used in real-time PCR analysis

 <400> 59
 aagcgctggc aaaagaagaa 20

 <210> 60
 <211> 18
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> BC primer used for run-off reactions

 <400> 60
 cgacctcggg tgggaaca 18

 <210> 61
 <211> 19
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BC primer used for run-off reactions

 <400> 61
 cacagcgacc tcgggtggg 19

 <210> 62
 <211> 21
 <212> DNA

<213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 62
 actgtgagtc tggcgccttg t 21
 <210> 63
 <211> 24
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 63
 acaacgggta acttgggtccc cgaa 24
 <210> 64
 <211> 24
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 64
 ggtcctctac aacagtgagc caac 24
 <210> 65
 <211> 24
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 65
 aagagagaga gctggggtcc actg 24
 <210> 66
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 66
 ggagagtcga gttccatca 19
 <210> 67
 <211> 24
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 67
 tgtcacagtg agcctgggtcc catt 24
 <210> 68
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 68
 cctggcccga agaactgctc a 21
 <210> 69
 <211> 24
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 69
 gtcctccagt acgctcagcc taga 24
 <210> 70
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>

<221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 70
 tgcttgggcc aaaatactgc g 21
 <210> 71
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 71
 tccccgcgcc gaagtactga a 21
 <210> 72
 <211> 18
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 72
 tcgagcacca ggagccgc 18
 <210> 73
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 73
 ctgctgccgg ccccgaaagt c 21
 <210> 74
 <211> 21
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions

<400> 74

tgaccgtgag cctgggtgccc g 21

<210> 75

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV16 clonotype derived
from ST specimen of RA patients

<400> 75

Tyr Phe Cys Ala Ser Ser Gln Asp Ser Gly Gly Gly Gly Glu Gln
5 10 15
Phe Phe Gly Pro Gly
20

<210> 76

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV16 clonotype derived
from ST specimen of RA patients

<400> 76

tatttctgtg ccagcagcca agatagcggg gggggagggtg agcagttctt cgggccagga 60

<210> 77

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV16 clonotype derived
from ST specimen of RA patients

<400> 77

Tyr Phe Cys Ala Ser Ser Arg Leu Gly Gln Gly Tyr Asn Glu Gln
 5 10 15
 Phe Phe Gly Pro Gly
 20

<210> 78
 <211> 60
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived
 from ST specimen of RA patients

<400> 78
 tattttctgtg ccagcagccg actgggacag ggctacaatg agcagttctt cgggccagga 60

<210> 79
 <211> 20
 <212> PRT
 <213> *Homo sapiens*

<220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived
 from ST specimen of RA patient

<400> 79
 Tyr Phe Cys Ala Ser Ser Gln Asp Leu Asp Ser Tyr Asn Glu Gln
 5 10 15
 Phe Phe Gly Pro Gly
 20

<210> 80
 <211> 60
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived
 from ST specimen of RA patients

<400> 80

tatttctgtg ccagcagcca agatctggac agctacaatg agcagttctt cgggccagga 60

<210> 81
<211> 20
<212> PRT
<213> *Homo sapiens*

<220>
<221> Domain
<223> CDR3 amino acid sequence of BV16 clonotype derived
from ST specimen of RA patient

<400> 81

Tyr Phe Cys Ala Ser Ser Gln Gly Thr Ser Gly Ile Thr Glu Gln
5 10 15
Phe Phe Gly Pro Gly
20

<210> 82
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV16 clonotype derived
from ST specimen of RA patients

<400> 82

tatttctgtg ccagcagcca ggggactagc gggatcactg agcagttctt cgggccagga 60

<210> 83
<211> 20
<212> PRT
<213> *Homo sapiens*

<220>
<221> Domain
<223> CDR3 amino acid sequence of BV16 clonotype derived
from ST specimen of RA patient

<400> 83

Tyr Phe Cys Ala Ser Ser Gln Leu Ala Gly Pro Tyr Asn Glu Gln
5 10 15

Phe Phe Gly Pro Gly
20

<210> 84
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV16 clonotype derived
from ST specimen of RA patients

<400> 84

tattttctgtg ccagcagcca gctagcggga ccctacaatg agcagttctt cgggccagga 60

<210> 85
<211> 20
<212> PRT
<213> *Homo sapiens*

<220>
<221> Domain
<223> CDR3 amino acid sequence of BV16 clonotype derived
from ST specimen of RA patient

<400> 85

Tyr Phe Cys Ala Ser Ser Leu Leu Gly Thr Val Ser Tyr Glu Gln
5 10 15
Phe Phe Gly Pro Gly
20

<210> 86
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV16 clonotype derived
from ST specimen of RA patients

<400> 86

tattttctgtg ccagcagcct tctcggcaca gtatcctatg agcagttctt cgggccagga 60

<210> 87

<211> 20
 <212> PRT
 <213> *Homo sapiens*

 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived
 from ST specimen of RA patient

<400> 87
 Tyr Phe Cys Ala Ser Pro Leu Gly Thr Ala Leu Ser Tyr Glu Gln
 5 10 15
 Phe Phe Gly Pro Gly
 20

<210> 88
 <211> 60
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived
 from ST specimen of RA patients

<400> 88
 tattttctgtg ccagcccccct tgggacagcg ctatcctacg agcagtactt cgggccggggc 60

<210> 89
 <211> 20
 <212> PRT
 <213> *Homo sapiens*

<220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived
 from ST specimen of RA patient

<400> 89
 Tyr Phe Cys Ala Ser Ser Gln Ala Asp Gly Thr His Tyr Glu Gln
 5 10 15
 Phe Phe Gly Pro Gly
 20

<210> 90
 <211> 60
 <212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV16 clonotype derived
from ST specimen of RA patients

<400> 90

tattttctgtg ccagcagcca agctgacggg acccattacg agcagtactt cgggccgggc 60

<210> 91

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV16 clonotype derived
from ST specimen of RA patient

<400> 91

Tyr Phe Cys Ala Ser Ser Gln Asp Lys Gly His Phe Tyr Glu Gln
5 10 15
Phe Phe Gly Pro Gly
20

<210> 92

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV16 clonotype derived
from ST specimen of RA patients

<400> 92

tattttctgtg ccagcagcca agataaggga cacttctacg agcagtactt cgggccgggc 60

<210> 93

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV16 clonotype derived

from ST specimen of RA patient

<400> 93

Tyr Phe Cys Ala Ser Ser Gln Ala Asp Gly Thr His Tyr Glu Gln
5 10 15
Phe Phe Gly Pro Gly
20

<210> 94

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV16 clonotype derived

from ST specimen of RA patients

<400> 94

tattttctgtg ccagcagcca agctgacggg acccattacg agcagtactt cgggccgggc 60

<210> 95

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV16 clonotype derived

from ST specimen of RA patient

<400> 95

Tyr Phe Cys Ala Ser Ser Trp Gly Gly Thr Asp Ile Tyr Glu Gln
5 10 15
Phe Phe Gly Pro Gly
20

<210> 96

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV16 clonotype derived

from ST specimen of RA patients

<400> 96

tattttctgtg ccagcagctg gggcgggaca gacatctacg agcagtactt cgggccgggc 60

<210> 97

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV16 clonotype derived
from ST specimen of RA patient

<400> 97

Tyr	Phe	Cys	Ala	Ser	Ser	Leu	Leu	Gly	Thr	Val	Ser	Tyr	Glu	Gln
				5					10				15	
Phe	Phe	Gly	Pro	Gly										
				20										

<210> 98

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV16 clonotype derived
from ST specimen of RA patients

<400> 98

tattttctgtg ccagcagcct tctcggcaca gtatcctacg agcagtactt cgggccgggc 60

<210> 99

<211> 18

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV16 clonotype derived
from ST specimen of RA patient

<400> 99

Tyr	Phe	Cys	Ala	Ser	Ser	Gln	Gly	Leu	Asn	Thr	Glu	Ala	Phe	Phe
				5					10				15	

Gly Gln Gly

<210> 100
<211> 54
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV16 clonotype derived
from ST specimen of RA patients

<400> 100

tattttctgtg ccagcagcca aggccttaac actgaagctt tcttttgaca aggc 54

<210> 101
<211> 18
<212> PRT
<213> *Homo sapiens*

<220>
<221> Domain
<223> CDR3 amino acid sequence of BV16 clonotype derived
from ST specimen of RA patient

<400> 101

Tyr Phe Cys Ala Ser Arg Ala Ser Arg Tyr Thr Glu Ala Phe Phe
5 10 15

Gly Gln Gly

<210> 102
<211> 54
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV16 clonotype derived
from ST specimen of RA patients

<400> 102

tattttctgtg ccagcagggc aagcaggtac actgaagctt tcttttgaca aggc 54

<210> 103
<211> 18

<212> PRT
 <213> *Homo sapiens*

 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived
 from ST specimen of RA patient

<400> 103

Tyr Phe Cys Ala Ser Arg Ala Ser Arg Tyr Thr Glu Ala Phe Phe
 5 10 15
 Gly Gln Gly

<210> 104
 <211> 54
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived
 from ST specimen of RA patients

<400> 104

tattttctgtg ccagcagggc aagcaggtac actgaagctt tcttttgaca aggc 54

<210> 105
 <211> 18
 <212> PRT
 <213> *Homo sapiens*

<220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived
 from ST specimen of RA patient

<400> 105

Tyr Phe Cys Ala Ser Ser Thr Gly Val Asn Thr Glu Ala Phe Phe
 5 10 15
 Gly Gln Gly

<210> 106
 <211> 54
 <212> DNA

<213> Artificial Sequence
 <220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived
 from ST specimen of RA patients
 <400> 106
 tattttctgtg ccagcagtag aggggtgaac actgaagctt tctttggaca aggc 54
 <210> 107
 <211> 18
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived
 from ST specimen of RA patient
 <400> 107
 Tyr Phe Cys Ala Ser Ser Leu Thr Thr Asn Thr Glu Ala Phe Phe
 5 10 15
 Gly Gln Gly
 <210> 108
 <211> 54
 <212> DNA
 <213> Artificial Sequence
 <220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived
 from ST specimen of RA patients
 <400> 108
 tattttctgtg ccagcagcct cacaacgaac actgaagctt tctttggaca aggc 54
 <210> 109
 <211> 18
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain

<223> CDR3 amino acid sequence of BV16 clonotype derived
from ST specimen of RA patient

<400> 109

Tyr Phe Cys Ala Ser Ser Gln Asp Ser Tyr Thr Glu Ala Phe Phe
5 10 15
Gly Gln Gly

<210> 110

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV16 clonotype derived
from ST specimen of RA patients

<400> 110

tattttctgtg ccagcagcca agattcgtac actgaagctt tcttttgaca aggc 54

<210> 111

<211> 18

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV16 clonotype derived
from ST specimen of RA patient

<400> 111

Tyr Phe Cys Ala Ser Ser Trp Gly Gly Asn Thr Glu Ala Phe Phe
5 10 15
Gly Gln Gly

<210> 112

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV16 clonotype derived

from ST specimen of RA patients

<400> 112

tattttctgtg ccagcagctg ggggggcaac actgaagctt tctttggaca aggc 54

<210> 113

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived

from ST specimen of RA patients

<400> 113

Tyr Phe Cys Ala Ser Ser Pro Thr Arg Asp Arg Gly Asn Glu Gln
5 10 15
Phe Phe Gly Pro Gly
20

<210> 114

<211> 63

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived

from ST specimen of RA patients

<400> 114

tactttctgtg ccagcagtcc cacgcgggac aggggaaata atgagcagtt cttcggggcca 60
gga 63

<210> 115

<211> 22

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived

from ST specimen of RA patients

<400> 115

Tyr Phe Cys Ala Ser Ser Ser Pro Ile Ala Gly Ser Ser Tyr Asn
5 10 15
Glu Gln Phe Phe Gly Pro Gly
20

<210> 116

<211> 63

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 116

tactttctgtg ccagcagttc cccaatagcg gggagctcca atgagcagtt cttcgggcca 60
gga 63

<210> 117

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 117

Tyr Phe Cys Ala Ser Ser Phe Trp Ala Pro Thr Asp Asn Glu Gln
5 10 15
Phe Phe Gly Pro Gly
20

<210> 118

<211> 63

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 118

tacttctgtg ccagcagttt ctgggccctt acggacaata atgagcagtt cttcggggcca 60
gga 63

<210> 119

<211> 21

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived

from ST specimen of RA patients

<400> 119

Tyr Phe Cys Ala Ser Ser Ser Ser Ser Pro Thr Ser Tyr Asn Glu
5 10 15
Gln Phe Phe Gly Pro Gly
20

<210> 120

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived

from ST specimen of RA patients

<400> 120

tacttctgtg ccagcagttc tagcagcccc acctcctacg agcagttctt cgggccagga 60

<210> 121

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived

from ST specimen of RA patients

<400> 121

Tyr Phe Cys Ala Ser Ser Pro Arg Glu Gly Leu Leu Asn Glu Gln
 5 10 15
 Phe Phe Gly Pro Gly
 20

<210> 122
 <211> 63
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 122

tactttctgtg ccagcagccc tagggagggc ctctcaata atgagcagtt cttcgggcca 60
 gga 63

<210> 123
 <211> 21
 <212> PRT
 <213> *Homo sapiens*

<220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 123

Tyr Phe Cys Ala Ser Ser Pro Trp Thr Ser Gly Ser Gly Asn Glu
 5 10 15
 Gln Phe Phe Gly Pro Gly
 20

<210> 124
 <211> 60
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 124

tactttctgtg ccagcagtc ccaggactagc gggagtggtg agcagttctt cgggccagga 60

<210> 125

<211> 19

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 125

Tyr Phe Cys Ala Ser Ser Leu Arg Thr Arg Phe Tyr Glu Gln Tyr
5 10 15
Phe Gly Pro Gly

<210> 126

<211> 57

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 126

tactttctgtg ccagcagttt aaggacacgc ttctacgagc agttcttcgg gccagga 57

<210> 127

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 127

Tyr Phe Cys Ala Ser Ser Leu Thr Ser Gly Arg Gln Tyr Glu Gln
5 10 15

Tyr Phe Gly Pro Gly
20

<210> 128
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 128

tactttctgtg ccagcagttt gaccagcggg cgtcagtacg agcagttctt cgggccagga 60

<210> 129
<211> 20
<212> PRT
<213> *Homo sapiens*

<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 129

Tyr Phe Cys Ala Ser Ser Ser Gly Gly Ser Leu Phe Tyr Glu Gln
5 10 15
Tyr Phe Gly Pro Gly
20

<210> 130
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 130

tactttctgtg ccagcagttc cgggggcagt ctgttctacg agcagttctt cgggccagga 60

<210> 131
<211> 20
<212> PRT
<213> *Homo sapiens*

<220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 131

Tyr Phe Cys Ala Ser Ser Leu Ser Val Gly Ala Thr Tyr Glu Gln
 5 10 15
 Tyr Phe Gly Pro Gly
 20

<210> 132
 <211> 60
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 132

tacttctgtg ccagcagttt atcggtcggg gctacctacg agcagttctt cgggccagga 60

<210> 133
 <211> 20
 <212> PRT
 <213> *Homo sapiens*

<220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 133

Tyr Phe Cys Ala Ser Ser Ser Gly Gly Ser Leu Phe Tyr Glu Gln
 5 10 15
 Tyr Phe Gly Pro Gly
 20

<210> 134
 <211> 60
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 134

tactttctgtg ccagcagttc cgggggcagt ctgttctacg agcagttctt cgggccagga 60

<210> 135

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 135

Tyr Phe Cys Ala Ser Ser Pro Ser Ile Ser Ser His Tyr Glu Gln
5 10 15
Tyr Phe Gly Pro Gly
20

<210> 136

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 136

tactttctgtg ccagcagccc aagtattagt tcccactacg agcagttctt cgggccagga 60

<210> 137

<211> 19

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 137

Tyr Phe Cys Ala Ser Ser Arg Asp Gly Val Ser Tyr Glu Gln Tyr
5 10 15
Phe Gly Pro Gly

<210> 138
<211> 57
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 138

tacttctgtg ccagcagtcg tgatgggggc tcctacgagc agttcttcgg gccagga 57

<210> 139
<211> 19
<212> PRT
<213> *Homo sapiens*

<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 139

Tyr Phe Cys Ala Ser Ser Leu Ser Ser Thr Gly Arg Glu Gln Tyr
5 10 15
Phe Gly Pro Gly

<210> 140
<211> 57
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 140

tacttctgtg ccagcagttt atcttcgaca gggagggagc agtacttcgg gccgggc 57

<210> 141
<211> 20
<212> PRT
<213> *Homo sapiens*

<220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 141

Tyr Phe Cys Ala Ser Ser Leu Ser Phe Arg Leu Asp Tyr Glu Gln
 5 10 15
 Tyr Phe Gly Pro Gly
 20

<210> 142
 <211> 60
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 142

tacttctgtg ccagcagttt atcgttttaga ctagactacg agcagttctt cgggccagga 60

<210> 143
 <211> 20
 <212> PRT
 <213> *Homo sapiens*

<220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 143

Tyr Phe Cys Ala Ser Ser Pro Ser Gly Gln Gly Ser Tyr Glu Gln
 5 10 15
 Tyr Phe Gly Pro Gly
 20

<210> 144
 <211> 60
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived

from ST specimen of RA patients

<400> 144

tactttctgtg ccagcagtcg gtcgggacag gggtcctacg agcagttctt cgggccagga 60

<210> 145

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 145

Tyr Phe Cys Ala Ser Ser Phe Gly Thr Val Leu Ser Tyr Glu Gln
5 10 15
Tyr Phe Gly Pro Gly
20

<210> 146

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 146

tactttctgtg ccagcagttt tgggacagtc ctctcctacg agcagttctt cgggccagga 60

<210> 147

<211> 20

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 147

Tyr Phe Cys Ala Ser Ser Pro Arg Leu Ala Gly Asp Lys Glu Gln

Tyr Phe Gly Pro Gly 5 10 15
20

<210> 148
<211> 61
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients

<400> 148

tacttctgtg ccagcagtcc ccgactagcg ggagataaag gagcagtact tcgggccggg 60
c 61

<210> 149
<211> 20
<212> PRT
<213> *Homo sapiens*

<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived from ST specimen of RA patients

<400> 149

Tyr Phe Cys Ala Ser Ser Leu Ser Ala Arg Thr Thr Tyr Glu Gln
5 10 15
Tyr Phe Gly Pro Gly
20

<210> 150
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients

<400> 150

tacttctgtg ccagcagttt aagtgccagg acaacctacg agcagttctt cgggccagga 60

<210> 151
 <211> 19
 <212> PRT
 <213> *Homo sapiens*

<220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 151

Tyr Phe Cys Ala Ser Ser Leu Ile Gly Gly Asn Glu Lys Leu Phe
 5 10 15
 Leu Gly Ser Gly

<210> 152
 <211> 57
 <212> DNA
 <213> Artificial Sequence

<220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 152

tactttctgtg ccagcagttt gatagggggc aatgaaaaac tgtttttttg cagtgga 57

<210> 153
 <211> 18
 <212> PRT
 <213> *Homo sapiens*

<220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

<400> 153

Tyr Phe Cys Ala Ser Ser Leu Ser Gln Glu Thr Glu Ala Phe Phe
 5 10 15
 Gly Gln Gly

<210> 154
 <211> 53
 <212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients

<400> 154

tacttctgtg ccagagttta tcccaggaaa ctgaagcttt ctttggacaa ggc 53

<210> 155

<211> 19

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived from ST specimen of RA patients

<400> 155

Tyr Phe Cys Ala Ser Arg Ala Gly Thr Gly Phe Glu Lys Leu Phe
5 10 15
Phe Gly Ser Gly

<210> 156

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients

<400> 156

tacttctgtg ccagcagggc cgggacaggg tttaaactgt tttttggcag tgga 54

<210> 157

<211> 18

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived

from ST specimen of RA patients

<400> 157

Tyr Phe Cys Ala Ser Ser Leu Ser Gln Asn Thr Glu Ala Phe Phe
5 10 15
Gly Gln Gly

<210> 158

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 158

tacttctgtg ccagcagtct gtcacagaac actgaagctt tctttggaca aggc 54

<210> 159

<211> 18

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 159

Tyr Phe Cys Ala Ser Ser Pro Arg Val Asn Thr Glu Ala Phe Phe
5 10 15
Gly Gln Gly

<210> 160

<211> 53

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 160

tacttctgtg ccagagtc cc cgggtcaaca ctgaagcttt ctttggacaa ggc 53

<210> 161
<211> 18
<212> PRT
<213> *Homo sapiens*

<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 161

Tyr Phe Cys Ala Ser Ser Leu Ser Gln Glu Thr Glu Ala Phe Phe
5 10 15
Gly Gln Gly

<210> 162
<211> 53
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 162

tacttctgtg ccagagttta tcccaggaaa ctgaagcttt ctttggacaa ggc 53

<210> 163
<211> 18
<212> PRT
<213> *Homo sapiens*

<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 163

Tyr Phe Cys Ala Ser Ser Leu Gly Arg Asn Thr Glu Ala Phe Phe
5 10 15
Gly Gln Gly

<210> 164
 <211> 54
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

 <400> 164

tactttctgtg ccagcagcct agggaggaac actgaagctt tctttggaca aggc 54

<210> 165
 <211> 18
 <212> PRT
 <213> *Homo sapiens*

 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

 <400> 165

Tyr Phe Cys Ala Ser Ser Ser Arg Gly Tyr Thr Glu Ala Phe Phe
 5 10 15
 Gly Gln Gly

<210> 166
 <211> 54
 <212> DNA
 <213> Artificial Sequence

 <220>
 <221> CDS
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived
 from ST specimen of RA patients

 <400> 166

tactttctgtg ccagcagttc caggggatac actgaagctt tctttggaca aggc 54

<210> 167
 <211> 18
 <212> PRT
 <213> *Homo sapiens*

 <220>

<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 167

Tyr Phe Cys Ala Ser Ser Ser Leu Ala Thr Ala Glu Ala Phe Phe
5 10 15
Gly Gln Gly

<210> 168
<211> 54
<212> DNA
<213> Artificial Sequence

<220>
<221> CDS
<223> CDR3 nucleic acid sequence of BV14 clonotype derived
from ST specimen of RA patients

<400> 168

tacttctgtg ccagcagttc cctcgctact gctgaagctt tctttggaca aggc 54